

### LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LGHB 2

Unique Formula Identifier (UFI): M300-3039-H007-CU88

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

**Supplier** 

Company: SKF MPT

Address: Meidoornkade 14

Zip code: 3992 AE
City: AE Houten
Country: NETHERLANDS
E-mail: support.mpt@skf.com
Phone: +31 30 6307200
Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation.

2.2. Label elements

**Pictograms** 



Signal word: Warning

Contains

**Substance:** Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts;

H-phrases

H319 Causes serious eye irritation.



LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

P-phrases

P280 Wear eye protection.

Supplemental information

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, **EUH208** 

petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May

produce an allergic reaction.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6 271-529-4 01-2119492627-25	≤ 10%		Skin Sens. 1B;H317  LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9mg/l LD50 (Acute toxicity - oral): > 5000mg/kg bw  LD50 (Acute toxicity - dermal): > 4000mg/kg bw
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0 274-263-7 01-2119492616-28	≤ 5%		Skin Sens. 1B;H317  LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9mg/l LD50 (Acute toxicity - oral): > 5000mg/kg bw  LD50 (Acute toxicity - dermal): > 5000mg/kg bw
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18	≤ 5%		Skin Sens. 1;H317  LD50 (Acute toxicity - oral): > 16000mg/kg bw LD50 (Acute toxicity - dermal): > 4000mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9mg/l
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	1335202-81-7 932-231-6 01-2119560592-37	≤ 2.9%		Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412  LD50 (Acute toxicity - oral): 4445 mg/kg bw LD50 (Acute toxicity - dermal): > 2000mg/kg bw

Please see section 16 for the full text of H- / EUH-phrases..

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

Inhalation: Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice

in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.



### LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

**Eye contact:** Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

**General:** When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing. The product contains small amounts of Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. Persons with a known allergy may exhibit an allergic response to the product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### 5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Wear gloves. Wear safety goggles. Provide good

ventilation

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

# 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Wipe up minor spills with a damp cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment must be available. Wash hands



# Safety Data Sheet LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

before breaks, before using restroom facilities, and at the end of work.

# 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Do not store with the following: Strong oxidisers. Store in a dry area. Avoid direct sunlight.

#### 7.3. Specific end use(s)

None.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

# **PNEC**

FNEC				
Benzenesulfonic acid, C1	10-16-alkyl derivs., calciun	n salts, cas-no 68584-23-6	6	
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC sediment (freshwater)	723500000 mg/kg dw			
PNEC sediment (marine water)	723500000 mg/kg dw			
PNEC soil	868700000 mg/kg dw			
PNEC STP (wastewater-treatment facilities)	100 mg/l			
Benzenesulfonic acid, mo	ono-C16-24-alkyl derivs., o	calcium salts, cas-no 7002	24-69-0	
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC sediment (freshwater)	723500000 mg/kg dw			
PNEC sediment (marine water)	723500000 mg/kg dw			
PNEC soil	868700000 mg/kg dw			
PNEC STP (wastewater-treatment facilities)	100 mg/l			
Sulfonic acids, petroleum	, calcium salts, cas-no 61	789-86-4		
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC sediment (freshwater)	226000000 mg/kg dw			



#### **Safety Data Sheet** LGHB 2 Replaces date: 23/03/2021 Revision date: 21/02/2022 Version: 2.4.0 PNEC sediment (marine 226000000 mg/kg dw water) PNEC soil 271000000 mg/kg dw PNEC STP (wastewater-1000 mg/l treatment facilities) **DNEL** - workers Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -3,33 mg/kg bw/day systemic effects) Dermal DNEL (longterm exposure -1,03 mg/cm<sup>2</sup> local effects) Inhalation DNEL (long-term exposure 11,75 mg/m<sup>3</sup> - systemic effects) Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -3,33 mg/kg systemic effects) Dermal DNEL (longterm exposure -1,03 mg/cm<sup>2</sup> local effects) Inhalation DNEL (long-term exposure 11,75 mg/m<sup>3</sup> systemic effects) Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -3,33 mg/kg systemic effects) Dermal DNEL (longterm exposure -1,03 mg/cm<sup>2</sup> local effects) Inhalation DNEL (long-term exposure 11,75 mg/m³ - systemic effects) Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7 Main Impact Exposure Value Assessment Factor Dose Descriptor Note Parameter Dermal DNEL (long-

#### **DNEL** - general population

term exposure systemic effects) 1,7 mg/kg bw/day

	•						
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		



#### Safety Data Sheet LGHB 2 Replaces date: 23/03/2021 Revision date: 21/02/2022 Version: 2.4.0 Oral DNEL (long-0,8333 mg/kg term exposure bw/day systemic effects) Dermal DNEL (longterm exposure -0,513 mg/cm<sup>2</sup> local effects) Dermal DNEL (longterm exposure -1,667 mg/kg bw/day systemic effects) Inhalation DNEL (long-term exposure 2,9 mg/m³ - systemic effects) Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -1,667 mg/kg bw/day systemic effects) Oral DNEL (long-0,8333 mg/kg term exposure bw/day systemic effects) Dermal DNEL (longterm exposure -0,513 mg/cm<sup>2</sup> local effects) Inhalation DNEL (long-term exposure 2,9 mg/m³ - systemic effects) Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4 Main Impact Exposure Value Assessment Factor Dose Descriptor Note Parameter Oral DNEL (longterm exposure -0,8333 mg/kg systemic effects) Dermal DNEL (longterm exposure -1,667 mg/kg systemic effects) Inhalation DNEL (long-term exposure 2,9 mg/m<sup>3</sup> systemic effects) Dermal DNEL (longterm exposure -0,513 mg/cm<sup>2</sup> local effects) Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -85 mg/kg bw/day systemic effects)

#### 8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

**Personal protective equipment,** Wear safety goggles. Eye protection must conform to EN 166. **eye/face protection:** 



LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

hand protection:

Personal protective equipment, In the event of direct skin contact, wear protective gloves: Type of material: Nitrile rubber. Breakthrough time has not been determined for the product. Change gloves often. Gloves must conform to EN 374.

The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.

respiratory protection:

Personal protective equipment, Use process ventilation. If this is not possible, use respiratory equipment. Filter type: A. P. Respiratory protection must conform to one of the following standards: EN 136/140/145.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Solid substance
Colour	Brown
Odour	Characteristic
Solubility	Insoluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	0.9 g/cm³	(20 °C)
Relative density	0.9	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

# 9.2. Other information

Parameter Value/unit	Remarks
----------------------	---------

Other Information: None.

# **SECTION 10: Stability and reactivity**



#### LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

#### 10.1. Reactivity

Reacts with the following: Strong oxidisers.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Avoid direct sunlight.

#### 10.5. Incompatible materials

Strong oxidisers.

#### 10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

#### Benzenesulfonic acid, C10-16-alkyl derivs.. calcium salts, cas-no 68584-23-6

		<u> </u>				
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000mg/kg bw		OECD 401	

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000mg/kg bw		OECD 401	

# Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 16000mg/kg bw			

# Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		4445 mg/kg bw			

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 4000mg/kg bw		OECD 402	

# Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 5000mg/kg bw		OECD 402	

#### Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4



#### LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 4000mg/kg bw			

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg bw		OECD 402	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - inhalation

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

	•	•	•			
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (dust/mist)		> 1.9mg/l		EPA OPP 81-3	

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (dust/mist)	4 h	> 1.9mg/l		EPA OPP 81-3	

#### Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (dust/mist)	4 h	> 1.9mg/l		EPA OPP 81-3	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Skin corrosion/irritation

# Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit		4 h	0.5		EPA OPPTS	

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit		4 h	2.7		OECD 404	

May irritate the skin - may cause reddening. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Serious eye damage/eye irritation

# Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit			0		EPA	

# Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit			1		OECD 405	

Irritating to eyes. Causes a burning sensation and tearing.

#### Respiratory sensitisation or skin sensitisation

### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

	•	•	•			
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Human				Skin sensitisation		

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Skin sensitisation		

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4



#### LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Skin sensitisation		

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Non-sensitising		

According to tests, the product need not be classified. The product contains small amounts of Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. Persons with a known allergy may exhibit an allergic response to the product.

#### Germ cell mutagenicity

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Bacteria	In vitro			No indications.	OECD 471	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

#### Reproductive toxicity

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	Oral.			No indications.		

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: Inhalation of dust may cause irritation to the upper airways. The product does not have to

be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC10	> 1000mg/l		OECD 201	
Algae	Pseudokirchne riella subcapitata		72hEL50	> 1000mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	> 1000mg/l		OECD 202	



# LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

Fish	Cyprinodon variegatus		96hLC50	> 1000mg/l		OECD 203	
------	-----------------------	--	---------	------------	--	----------	--

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC10	> 1000mg/l		OECD 201	
Algae	Pseudokirchne riella subcapitata		72hEC50	> 1000mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	> 1000mg/l		OECD 202	
Fish	Cyprinodon variegatus		96hLC50	> 1000mg/l		OECD 203	

#### Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC10	> 1000mg/l		OECD 201	
Algae	Pseudokirchne riella subcapitata		72hEC50	> 1000mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	> 1000mg/l		OECD 202	
Fish	Cyprinodon variegatus		96hLC50	> 1000mg/l		OECD 203	

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC50	29 mg/l		OECD 201	
Algae	Pseudokirchne riella subcapitata		72hNOEC	0.5 mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	2.9 mg/l		OECD 202	
Fish	Lepomis macrochirus		96hLC50	1.67 mg/l		STDMETH, ASTM, USEPA	
Crustacea	Daphnia magna		21dNOEC	1.18 mg/l			

The product contains small quantities of environmentally hazardous substances. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# 12.2. Persistence and degradability

# Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated sludge	28 d		0%		OECD 301 D	

### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated	28 d		0 %		OECD 301 D	
	sludge	20 0		0 70		020200.2	



LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

#### Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated sludge	28 d		0%		OECD 301 D	

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated sludge	28 d		> 90%		OECD 301 B	

The product contains at least one readily biodegradable substance.

#### 12.3. Bioaccumulative potential

#### Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	22			

#### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	2.9			

The product contains at least one substance with low bioaccumulative potential.

#### 12.4. Mobility in soil

Not expected to be mobile in soil. Test data are not available.

# 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 2

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 12 01 12\* spent waxes and

fats

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

# **SECTION 14: Transport information**

12 / 14



#### LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

14.1. UN number or ID number: Not applicable.

14.4. Packing group: 14.5. Environmental

Not applicable. Not applicable.

14.2. UN proper shipping

Not applicable.

hazards:

name:

14.3. Transport hazard

Not applicable.

class(es):

#### 14.6. Special precautions for user

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** None

#### 15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name
01-2119488992-18	Sulfonic acids, petroleum, calcium salts
01-2119492616-28	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts
01-2119492627-25	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts
01-2119560592-37	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts

# **SECTION 16: Other information**

#### Version history and indication of changes

Version	Revision date	Responsible	Changes
2.4.0	21/02/2022	Bureau Veritas HSE/ SRU	1-12, 15-16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

> our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.



# LGHB 2

Replaces date: 23/03/2021 Revision date: 21/02/2022

Version: 2.4.0

Classification method: Calculation based on the hazards of the known components.

Test data.

#### **List of relevant H-statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### List of relevant EUH-statements

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, **EUH208** 

petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May

produce an allergic reaction.

**Document language:** GB