

LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LGWM 2

Unique Formula Identifier (UFI): VHF7-S3A5-N00C-YESE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: SKF MPT

Address: Meidoornkade 14

Zip code: 3992 AE
City: AE Houten
Country: NETHERLANDS
E-mail: support.mpt@skf.com
Phone: +31 30 6307200
Homepage: www.skf.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation.

2.2. Label elements

Pictograms



Signal word: Warning

Contains

Substance: Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts;

Hazard Statements

H319 Causes serious eye irritation.



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

Precautionary statements

P280 Wear eye protection.

Supplemental information

Contains Benzenesulfonic acid, mono-C16-24 alkyl derivs. and mono-C10-16 alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. May produce

an allergic reaction.

2.3. Other hazards

EUH208

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6 271-529-4 01-2119492627-25	5 -< 10 %		Skin Sens. 1B;H317 LD50 (Acute toxicity - oral): > 5000 mg/kg bw LD50 (Acute toxicity - dermal): > 4000 mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0 274-263-7 01-2119492616-28	≤ 5 %		Skin Sens. 1B;H317 LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l LD50 (Acute toxicity - oral): > 5000 mg/kg bw LD50 (Acute toxicity - dermal): > 5000 mg/kg bw
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18	≤ 5 %		Skin Sens. 1;H317 LD50 (Acute toxicity - oral): > 16000 mg/kg bw LD50 (Acute toxicity - dermal): > 4000 mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	1335202-81-7 932-231-6 01-2119560592-37	≤ 3 %		Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412 LD50 (Acute toxicity - oral): 4445 mg/kg bw LD50 (Acute toxicity - dermal): > 2000 mg/kg bw
C14-16-18 Alkyl Phenol	1190625-94-5 931-468-2 01-2119498288-19	≤ 0.3 %		Skin Sens. 1B;H317 STOT RE 2;H373 LD50 (Acute toxicity - oral): > 2000 mg/kg bw LD50 (Acute toxicity - dermal): > 2000 mg/kg bw

Please see section 16 for the full text of H- $\!\!\!/$ EUH-phrases.

Ingredient comments: The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

2 / 15



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing. The product contains small amounts of Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, C14-16-18 Alkyl Phenol. Persons with a known allergy may exhibit an allergic response to the product.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Not flammable, but combustible. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Sulphur oxides/ Nitrous gases.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Wear safety goggles. Wear gloves. Wear

respiratory protective equipment.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Do not store with the following: Strong oxidisers. Store in a dry area.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

PNEC

Benzenesulfonic acid, C1	10-16-alkyl derivs., calciun	n salts, cas-no 68584-23-6	3	
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC sediment (freshwater)	723500000 mg/kg dw			
PNEC sediment (marine water)	723500000 mg/kg dw			
PNEC soil	868700000 mg/kg dw			
PNEC STP (wastewater-treatment facilities)	100 mg/l			
Benzenesulfonic acid, mo	ono-C16-24-alkyl derivs., o	calcium salts, cas-no 7002	24-69-0	
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC sediment (freshwater)	723500000 mg/kg dw			
PNEC sediment (marine water)	723500000 mg/kg dw			
PNEC soil	868700000 mg/kg dw			
PNEC STP (wastewater-treatment facilities)	100 mg/l			



LGWM 2

Revision date: 21/06/2022 Version: 2.5.0 Replaces date: 14/10/2021

Sulfonic acids, petroleum	, calcium salts, cas-no 61	789-86-4		
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1 mg/l			
PNEC aqua (marine water)	1 mg/l			
PNEC sediment (freshwater)	226000000 mg/kg dw			
PNEC sediment (marine water)	226000000 mg/kg dw			
PNEC soil	271000000 mg/kg dw			
PNEC STP (wastewater-treatment facilities)	1000 mg/l			
C14-16-18 Alkyl Phenol,	cas-no 1190625-94-5			
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	0,100 mg/l			
PNEC aqua (marine water)	0,010 mg/l			
PNEC sediment (freshwater)	4266,16 mg/kg dw			
PNEC sediment (marine water)	426,62 mg/kg dw			
PNEC soil	852,58 mg/kg dw			
PNEC STP (wastewater-treatment facilities)	100 mg/l			

DNEL - workers

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Dermal DNEL (long- term exposure - systemic effects)	3,33 mg/kg bw/day					
Dermal DNEL (long- term exposure - local effects)	1,03 mg/cm²					
Inhalation DNEL (long-term exposure - systemic effects)	11,75 mg/m³					
Benzenesulfonic acid	d, mono-C16-24-alkyl	derivs., calcium salts,	cas-no 70024-69-0			
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Dermal DNEL (long- term exposure - systemic effects)	3,33 mg/kg					
Dermal DNEL (long- term exposure - local effects)	1,03 mg/cm²					
Inhalation DNEL (long-term exposure - systemic effects)	11,75 mg/m³					



LGWM 2

Revision date: 21/06/2022 Version: 2.5.0 Replaces date: 14/10/2021

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	3,33 mg/kg						
Dermal DNEL (long- term exposure - local effects)	1,03 mg/cm²						
Inhalation DNEL (long-term exposure - systemic effects)	11,75 mg/m³						
Benzenesulfonic acid	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	1,7 mg/kg bw/day						
C14-16-18 Alkyl Phe	nol, cas-no 1190625-	94-5					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Inhalation DNEL (long-term exposure - systemic effects)	1,17 mg/m³						
Dermal DNEL (long- term exposure - systemic effects)	0,30 mg/kg bw/day						

DNEL - general population

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Oral DNEL (long- term exposure - systemic effects)	0,8333 mg/kg bw/day					
Dermal DNEL (long- term exposure - local effects)	0,513 mg/cm ²					
Dermal DNEL (long- term exposure - systemic effects)	1,667 mg/kg bw/day					
Inhalation DNEL (long-term exposure - systemic effects)	2,9 mg/m³					
Benzenesulfonic acid	d, mono-C16-24-alkyl	derivs., calcium salts,	cas-no 70024-69-0			
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Dermal DNEL (long- term exposure - systemic effects)	1,667 mg/kg bw/day					
Oral DNEL (long- term exposure - systemic effects)	0,8333 mg/kg bw/day					



Safety Data Sheet LGWM 2 Replaces date: 14/10/2021 Revision date: 21/06/2022 Version: 2.5.0 Dermal DNEL (longterm exposure -0,513 mg/cm² local effects) Inhalation DNEL (long-term exposure 2,9 mg/m³ - systemic effects) Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4 Main Impact Exposure Value Assessment Factor Dose Descriptor Note Parameter Oral DNEL (longterm exposure -0,8333 mg/kg systemic effects) Dermal DNEL (long-1,667 mg/kg term exposure systemic effects) Inhalation DNEL (long-term exposure 2,9 mg/m³ systemic effects) Dermal DNEL (longterm exposure -0,513 mg/cm² local effects) Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7 Main Impact Exposure Value Assessment Factor **Dose Descriptor** Note Parameter Dermal DNEL (longterm exposure -85 mg/kg bw/day systemic effects)

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Personal protective equipment, Wear safety goggles. Eye protection must conform to EN 166.

eye/face protection:

hand protection:

Personal protective equipment. In the event of direct skin contact, wear protective gloves: Type of material: Nitrile rubber.

Breakthrough time has not been determined for the product. Change gloves often.

The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.

Gloves must conform to EN 374.

respiratory protection:

Personal protective equipment, Light use (small volume, shortterm contact (below 10 min.)): Not required.

Medium use (medium volume, medium contact (1-2 hours)): Wear respiratory protective equipment. Filter type: A P. Respiratory protection must conform to one of the following

standards: EN 136/140/145.

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Fat.
Colour	Brown



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

Odour	Characteristic
Solubility	Insoluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	0.9	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid contact with moisture and water.

10.5. Incompatible materials

Strong oxidisers.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Sulphur oxides/ Nitrous gases.



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000 mg/kg bw		OECD 401	

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

	•	•	•	•		
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000 mg/kg bw		OECD 401	

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 16000 mg/kg bw			

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		4445 mg/kg bw			

C14-16-18 Alkvl Phenol. cas-no 1190625-94-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg bw			

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 4000 mg/kg bw		OECD 402	

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 5000 mg/kg bw		OECD 402	

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 4000 mg/kg bw			

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg bw		OECD 402	

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg bw			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

LGWM 2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	ATE (mix)		41.30 mg/l			



Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (dust/mist)	4 h	> 1.9 mg/l		EPA OPP 81-3	

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (dust/mist)	4 h	> 1.9 mg/l		EPA OPP 81-3	

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50 (dust/mist)	4 h	> 1.9 mg/l		EPA OPP 81-3	

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit		4 h	0.3		EPA OPPTS	

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit		4 h	2.7		OECD 404	

May irritate the skin - may cause reddening. The product does not have to be classified. Test data are not available.

Serious eye damage/eye irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit			0		EPA	

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit			1		OECD 405	

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or skin sensitisation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Human				Skin sensitisation		

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Skin sensitisation		

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Skin sensitisation		

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Non-sensitising		

According to tests, the product need not be classified. The product contains small amounts of Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, C14-16-18 Alkyl Phenol. Persons with a known allergy may exhibit an allergic response to the product.

Germ cell mutagenicity



Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source				
Mammalian cells.	In vivo		No mutagenic effects observed. OECD 474							
Bacteria	In vitro			No mutagenic effects observed.	OECD 471					
Mammalian cells.	In vitro			No mutagenic effects observed.	OECD 476					

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Test Type Exposure time		Value	Conclusion	Test method	Source
Rat	Oral.			No indications.		

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC10	> 1000 mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	> 1000 mg/l		OECD 202	
Fish	Cyprinodon variegatus		96hLC50	> 1000 mg/l		OECD 203	
Algae	Pseudokirchne riella subcapitata		72hEC50	> 1000 mg/l		OECD 201	

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

	,		•	,			
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC10	> 1000 mg/l		OECD 201	



LGWM 2

Revision date: 21/06/2022

Version: 2.5.0

Algae	Pseudokirchne riella subcapitata	72hEC50	> 1000 mg/l	OECD 201	
Crustacea	Daphnia magna	48hEC50	> 1000 mg/l	OECD 202	
Fish	Cyprinodon variegatus	96hLC50	> 1000 mg/l	OECD 203	

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC10	> 1000 mg/l		OECD 201	
Algae	Pseudokirchne riella subcapitata		72hEC50	> 1000 mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	> 1000 mg/l		OECD 202	
Fish	Cyprinodon variegatus		96hLC50	> 1000 mg/l		OECD 203	

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae	Pseudokirchne riella subcapitata		72hEC50	29 mg/l		OECD 201	
Algae	Pseudokirchne riella subcapitata		72hNOEC	0.5 mg/l		OECD 201	
Crustacea	Daphnia magna		48hEC50	2.9 mg/l		OECD 202	
Fish	Lepomis macrochirus		96hLC50	1.67 mg/l		STDMETH, ASTM, USEPA	
Crustacea	Daphnia magna		21dNOEC	1.18 mg/l			

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

	Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
C	rustacea	Daphnia magna		48hEC50	> 100 mg/l		OECD 202	

The product contains small quantities of environmentally hazardous substances. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated sludge	28 d		1() %	Not readily biodegradable.	OECD 301 D	

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated sludge	28 d		0 %	Not readily biodegradable.	OECD 301 D	

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

	Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
--	----------	---------	---------------	-----------	-------	------------	-------------	--------



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

Activated sludge	28 d		0 %	Not readily biodegradable.	OECD 301 D	
------------------	------	--	-----	----------------------------	------------	--

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
	Activated sludge	28 d		> 90 %	Readily biodegradable.	OECD 301 B	

The product contains at least one substance that is not biodegradable.

12.3. Bioaccumulative potential

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

		•	•	•			
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	22			

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			Log Kow	2.9			

The product contains at least one substance that is bioaccumulative in organisms.

12.4. Mobility in soil

Not expected to be mobile in soil. Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 12 01 12* spent waxes and

fats

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02.

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable. **14.4. Packing group:** Not applicable.

13 / 15

The product contains at least one biodegradable substance.



LGWM 2

Revision date: 21/06/2022

Version: 2.5.0

14.2. UN proper shipping

nama:

Not applicable.

14.5. Environmental hazards:

Not applicable.

14.3. Transport hazard

class(es):

Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name	
01-2119488992-18 Sulfonic acids, petroleum, calcium salts		
01-2119492616-28	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	
01-2119492627-25	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	
01-2119498288-19	C14-16-18 Alkyl Phenol	
01-2119560592-37	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
2.5.0	21/06/2022	Bureau Veritas HSE/ SRU	1-3. 5. 9-12. 15-16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components. Test data.

List of relevant H-statements

H315 Causes skin irritation.



LGWM 2

Replaces date: 14/10/2021 Revision date: 21/06/2022

Version: 2.5.0

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

List of relevant EUH-statements

Contains Benzenesulfonic acid, mono-C16-24 alkyl derivs. and mono-C10-16 alkyl derivs.,

EUH208 calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. May produce

an allergic reaction.

Country: GB